Using the OCLC 6xx Removal macro

This macro does the following to 6xx fields in an OCLC record of your choice:

600s, 610s, 611s, 630s, 650s, 651s	655s	
Removes fields matching one or more of the following:	Removes fields matching one or more of the follow	
- 2 nd indicator 1, 4, or 6	- 2 nd indicator 1, 4, or 6	
- CaQQLa	- CaQQLa	
- \$2 gtt	- \$2 gtt	
- \$2 ram	- \$2 ram	
- \$2 gnd	- \$2 gnd	
- \$2 aat	- \$2 rvmgf	
- \$2 swd	- \$2 swd	

Once the macro is run, the record is cleaned up and ready to export from OCLC and import into Voyager.

**If you plan to make any changes to the OCLC master record, do so BEFORE running this macro. Do NOT replace the master record AFTER running this macro. **

How to set up and use OCLC macros

1. Open OCLC Connexion and log in.

2. Tools > Macros > Manage

Using the OCLC 6xx Removal macro

Published on Yale University Library (https://web.library.yale.edu)

E Dewey FourFig Sanborn	New Book New Macro
Transliteration	Edit
	Organizer
	Run
	Record
)escription	

3. Create a **New Book** to separate local macros from the OCLC-supplied ones.

4. Highlight your new Macro Book and select **New Macro**.

- 5. Fill in the Macro Description, approximately 1 sentence.
- 6. Name your macro. (NOTE: it must be 1 word, no spaces)
- 7. With your new macro highlighted, click Edit

Using the OCLC 6xx Removal macro

Published on Yale University Library (https://web.library.yale.edu)

B-Dewey	New Book
- FourFig - Sanborn	New Macro
B-OCLC B-Transition	Edit
	Delete
	Organizer
	Run
	Record
Description Deletes selected 6XX fields.	
Close Car	icel Help

8. A mostly blank editing window will appear.

9. Highlight all the text in the OCLC 6xx Removal Macro Code document [1], and paste it over (replace) the existing text in the editing window.

- 10. Use the check (?) menu option to verify that the macro has been copied correctly.
- 11. Save the macro.

Options for using macros

- 1. Set up a keymap
- a. Tools > Keymaps
- b. "Display commands for category" > Macro
- c. Highlight macro you'd like to add a keymap for.
- d. Type in the keymap you'd like to use. (ex: Alt+A)
- i. It will tell you if the desired combination is already in use.

Published on Yale University Library (https://web.library.yale.edu)

Select Keymap File:		Display Commands for	or Category	1
Custom	•	C Menu Item	C Character	Organizer
Default Keymap		(Macro	C Text	Reset
Macros:		Current Shortout Key	/5:	12-4.48
Dewey		·		List All
Transiteration				Ugassign
B-YUL GoxDeletes				Assign
		Press New Shortcut Key:		
		At+A		
		Shortcut Key Assign	ed to:	
		<u>D</u> isable Applicati	on Default Shortcuts	
		OK	Cancel	Help

- e. Click Assign and then OK.
- f. You can now use the programmed keymap on any open record.
- 2. Use Macros menu (if you will not be using this macro frequently)
- a. When you have a record open and would like to use the macro.
- i. Tools > Macros > Manage
- ii. Highlight the macro you'd like to run.
- iii. Hit Run.

Source URL: https://web.library.yale.edu/cataloging/using_oclc_6xx_removal_macro

Links

[1] https://web.library.yale.edu/cataloging/6xx-removal-macro-code